


[Home](#) | [Login](#) | [Logout](#) [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "((aluminum nitride)&lt;in&gt;metadata) and thermal conductivity"

Your search matched 105 of 1382205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[New Search](#)» [Modify Search](#)

((aluminum nitride)&lt;in&gt;metadata) and thermal conductivity

[Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

[view selected items](#)[Select All](#)[Deselect All](#)View: 1-25 | [26-5](#)

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#)[Deselect All](#)View: 1-25 | [26-5](#)

1. **Hydrolytically stable aluminum nitride as a filler material for polymer based packaging**

Howard, K.E.; Knudsen, A.K.; Advanced Packaging Materials. Proceedings., 3rd International Symposium on 9-12 March 1997 Page(s):98 - 101  
Digital Object Identifier 10.1109/ISAPM.1997.581266

[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) [IEEE CNF Rights and Permissions](#)

2. **Prototype packages in aluminum nitride for high performance electronic**

Lodge, K.J.; Sparrow, J.A.; Perry, E.D.; Logan, E.A.; Goosey, M.T.; Pedder, D.C.; Components, Hybrids, and Manufacturing Technology, IEEE Transactions on [ Trans. on Components, Packaging, and Manufacturing Technology, Part A, B, Volume 13, Issue 4, Dec. 1990 Page(s):633 - 638  
Digital Object Identifier 10.1109/33.62572

[AbstractPlus](#) | Full Text: [PDF\(844 KB\)](#) [IEEE JNL Rights and Permissions](#)

3. **Effects of radiofrequency energy on human chondromalacic cartilage: an insulation material properties**

Meyer, M.L.; Yan Lu; Markel, M.D.; Biomedical Engineering, IEEE Transactions on Volume 52, Issue 4, Apr 2005 Page(s):702 - 710  
Digital Object Identifier 10.1109/TBME.2005.845155

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(4056 KB\)](#) [IEEE JNL Rights and Permissions](#)

4. **High thermally conductive underfill for flip-chip applications**

Suzuki, K.; Suzuki, O.; Muramatu, K.; Yuda, T.; Isobe, K.; Maruyama, H.; Fuku Advanced Packaging Materials: Processes, Properties and Interfaces, 2001. P International Symposium on

11-14 March 2001 Page(s):46 - 50  
Digital Object Identifier 10.1109/ISAOM.2001.916547

[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) [IEEE CNF Rights and Permissions](#)

5. **Aluminum nitride packaging**

□ 5. **Ishida, M.; Hasegawa, T.; Iwaida, T.; Knudsen, A.; Advanced Packaging Materials: Processes, Properties and Interfaces, 1999. P International Symposium on 14-17 March 1999 Page(s):133 - 135 Digital Object Identifier 10.1109/ISAPM.1999.757300**  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(180 KB) IEEE CNF  
[Rights](#)[and](#)[Permissions](#)

□ 6. **3-D interconnected porous AlN composite: a viable substrate for electron**  
Jin Yong Kim; Kumta, P.N.;  
[Aerospace and Electronics Conference, 1998. NAECON 1998. Proceedings of National](#)  
13-17 July 1998 Page(s):656 - 665  
Digital Object Identifier 10.1109/NAECON.1998.710225  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(1700 KB) IEEE CNF  
[Rights](#)[and](#)[Permissions](#)

□ 7. **Moisture resistant aluminum nitride filler for high thermal conductivity molding compounds**  
Gallo, A.A.; Bischof, C.S.; Howard, K.E.; Dunmead, S.D.; Anderson, S.A.;  
[Electronic Components and Technology Conference, 1996. Proceedings, 46th](#)  
28-31 May 1996 Page(s):335 - 342  
Digital Object Identifier 10.1109/ECTC.1996.517410  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(744 KB) IEEE CNF  
[Rights](#)[and](#)[Permissions](#)

□ 8. **Dielectric breakdown in aluminium nitride**  
Ruemennapp, T.; Peier, D.;  
[High Voltage Engineering, 1999. Eleventh International Symposium on \(Conf.\)](#)  
Volume 4, 23-27 Aug. 1999 Page(s):373 - 376 vol.4  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(364 KB) IEEE CNF

□ 9. **Aluminum Nitride-An Alternative Ceramic Substrate for High Power Application Microcircuits**  
Werdecker, W.; Aldinger, F.;  
[Components, Hybrids, and Manufacturing Technology, IEEE Transactions on \[ Trans. on Components, Packaging, and Manufacturing Technology, Part A, B, C \]](#)  
Volume 7, Issue 4, Dec 1984 Page(s):399 - 404  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(1048 KB) IEEE JNL  
[Rights](#)[and](#)[Permissions](#)

□ 10. **Influence of the grain boundary phase on the mechanical strength at aluminum substrate surfaces**  
Asai, H.; Takahashi, T.;  
[Advanced Packaging, IEEE Transactions on \[see also Components, Packaging, Manufacturing Technology, Part B; Advanced Packaging, IEEE Transactions on \[ Trans. on Components, Packaging, and Manufacturing Technology, Part A, B, C \]\]](#)  
Volume 23, Issue 3, Aug. 2000 Page(s):452 - 460  
Digital Object Identifier 10.1109/6040.861560  
[Abstract](#)[Plus](#) | [References](#) | Full Text: [PDF](#)(540 KB) IEEE JNL  
[Rights](#)[and](#)[Permissions](#)

□ 11. **The electrical properties of oxides-added thick-film resistors on aluminum substrates**  
Ming-Liang Hsieh; Lih-Shan Chen;  
[Electronic Materials and Packaging, 2002. Proceedings of the 4th International](#)  
4-6 Dec. 2002 Page(s):468 - 471  
Digital Object Identifier 10.1109/EMAP.2002.1188884  
[Abstract](#)[Plus](#) | Full Text: [PDF](#)(287 KB) IEEE CNF  
[Rights](#)[and](#)[Permissions](#)


- 12. Evaluation of aluminum nitride based RF lossy dielectrics for use in high microwave devices**  
Kirshner, M.F.; Turek, L.; Pekrul, E.;  
Vacuum Electronics Conference, 2002. IVEC 2002. Third IEEE International  
23-25 April 2002 Page(s):36 - 37  
Digital Object Identifier 10.1109/IVELEC.2002.999247  
[AbstractPlus](#) | [Full Text: PDF\(225 KB\)](#) | [IEEE CNF](#)  
[Rights and Permissions](#)
- 13. High thermal conductivity aluminum nitride ceramics for high power mic**  
Savrun, E.; Nguyen, V.; Abe, D.K.;  
Vacuum Electronics Conference, 2002. IVEC 2002. Third IEEE International  
23-25 April 2002 Page(s):34 - 35  
Digital Object Identifier 10.1109/IVELEC.2002.999246  
[AbstractPlus](#) | [Full Text: PDF\(280 KB\)](#) | [IEEE CNF](#)  
[Rights and Permissions](#)
- 14. Thick Film and Direct Bond Copper Forming Technologies for Aluminum Substrate**  
Iwase, N.; Anzai, K.; Shinozaki, K.; Hirao, O.; Truong Thanh; Sugiura, Y.;  
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on  
Trans. on Components, Packaging, and Manufacturing Technology, Part A, B,  
Volume 8, Issue 2, Jun 1985 Page(s):253 - 258  
[AbstractPlus](#) | [Full Text: PDF\(1128 KB\)](#) | [IEEE JNL](#)  
[Rights and Permissions](#)
- 15. Titanium nitride-molybdenum metallizing method for aluminum nitride**  
Asai, H.; Ueno, F.; Iwase, N.; Sato, H.; Mizunoya, N.; Kimura, T.; Endo, K.; Tal Sugiura, Y.;  
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on  
Trans. on Components, Packaging, and Manufacturing Technology, Part A, B,  
Volume 13, Issue 2, June 1990 Page(s):457 - 461  
Digital Object Identifier 10.1109/33.56185  
[AbstractPlus](#) | [Full Text: PDF\(436 KB\)](#) | [IEEE JNL](#)  
[Rights and Permissions](#)
- 16. Advanced ceramic substrates for multichip modules with multilevel thin interconnects**  
Foster, B.C.; Bachner, F.J.; Tormey, E.S.; Occhionero, M.A.; White, P.A.;  
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on  
Trans. on Components, Packaging, and Manufacturing Technology, Part A, B,  
Volume 14, Issue 4, Dec. 1991 Page(s):784 - 789  
Digital Object Identifier 10.1109/33.105134  
[AbstractPlus](#) | [Full Text: PDF\(748 KB\)](#) | [IEEE JNL](#)  
[Rights and Permissions](#)
- 17. Excimer laser machining and metallization of vias in aluminum nitride**  
Lumpp, J.K.; Allen, S.D.;  
Components, Packaging, and Manufacturing Technology, Part B: Advanced P  
Transactions on [see also Components, Hybrids, and Manufacturing Technolo  
Transactions on]  
Volume 20, Issue 3, Aug. 1997 Page(s):241 - 246  
Digital Object Identifier 10.1109/96.618223  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(164 KB\)](#) | [IEEE JNL](#)  
[Rights and Permissions](#)
- 18. Numerical study of self-heating effects of MOSFETs fabricated on SOAN**  
Ming Zhu; Peng Chen; Fu, R.K.-Y.; Zhenghua An; Chenglu Lin; Chu, P.K.;

Electron Devices, IEEE Transactions on  
Volume 51, Issue 6, June 2004 Page(s):901 - 906  
Digital Object Identifier 10.1109/TED.2004.827362  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(480 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

- 19. Performance and analysis of an aluminium nitride isolation resistor  
Karamitsos, N.; Gibson, A.A.P.;  
[Microwaves, Antennas and Propagation, IEE Proceedings -](#)  
Volume 142, Issue 3, June 1995 Page(s):282 - 284  
[AbstractPlus](#) | Full Text: [PDF\(216 KB\)](#) IEE JNL  
[Rights and Permissions](#)
  
- 20. Hermetic metallization of aluminum nitride for RF windows  
Savrun, E.; Nguyen, V.;  
[Vacuum Electronics Conference, 2004. IVEC 2004. Fifth IEEE International](#)  
27-29 April 2004 Page(s):38 - 39  
[AbstractPlus](#) | Full Text: [PDF\(458 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 21. High thermal conductivity aluminum nitride ceramics for high power mic  
Savrun, E.; Nguyen, V.; Gilmore, N.;  
[Vacuum Electronics Conference, 2004. IVEC 2004. Fifth IEEE International](#)  
27-29 April 2004 Page(s):45 - 46  
[AbstractPlus](#) | Full Text: [PDF\(463 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 22. High thermal conductivity, lossy aluminum nitride dielectrics  
Savrun, E.; Abe, D.;  
[Vacuum Electronics Conference, 2000. Abstracts. International](#)  
2-4 May 2000 Page(s):2 pp.  
Digital Object Identifier 10.1109/OVE:EC.2000.847520  
[AbstractPlus](#) | Full Text: [PDF\(456 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 23. Analysis of self-heating effects on partially depleted silicon on aluminum  
MOSFETs  
Osman, M.A.; Osman, A.A.;  
[High Temperature Electronics Conference, 1998. HITEC. 1998 Fourth Internat](#)  
14-18 June 1998 Page(s):169 - 171  
Digital Object Identifier 10.1109/HITEC.1998.676782  
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 24. An aluminum nitride package for 600°C and beyond  
Savrun, E.; Toy, C.;  
[High Temperature Electronics Conference, 1998. HITEC. 1998 Fourth Internat](#)  
14-18 June 1998 Page(s):265 - 268  
Digital Object Identifier 10.1109/HITEC.1998.676801  
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 25. Reliability of aluminum-nitride filled mold compound  
Tracy, D.; Nguyen, L.; Giberti, R.; Gallo, A.; Bischof, C.; Sweet, J.N.; Hsia, A.V  
[Electronic Components and Technology Conference, 1997. Proceedings., 47th](#)  
18-21 May 1997 Page(s):72 - 77  
Digital Object Identifier 10.1109/ECTC.1997.606148  
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

[View: 1-25 | 26-5](#)[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

 nspec